




Material : **Acrylic | Aluminium**

*3 CCT Changeable
Dimension : Unit of cm.

18W

VL-4-6006


3000K | 4000K | 6000K
1020lm | 1170lm | 1130lm



24W

VL-4-6006

3000K | 4000K | 6000K
1670lm | 1730lm | 1830lm



Ceiling Lamp.

“

Ceiling lamps (CEILING LAMP) are suitable for installation spots that are difficult to use. Recessed lamps are lamps that have been popularly used for many decades. Because the models meet the needs of a residential house, whether it's the living room, news room, or central living area.

”

04

Ceiling Lamp.



Dimension : Unit of cm.

● 3000K (Warm White) | ● 6000K (Day Light)







18W
VL-4-6005-18W
LED 18W 1400LM
CRI80 20,000 Hrs

24W
VL-4-6005-24W
LED 24W 1900LM
CRI80 20,000 Hrs


24W
VL-4-6008-24W
LED 24W 1500LM
CRI80 20,000 Hrs

36W
VL-4-6008-36W
LED 36W 2200LM
CRI80 20,000 Hrs



24W
VL-4-6009-24W
LED 24W 1500LM
CRI80 20,000 Hrs


36W
VL-4-6009-36W
LED 36W 2200LM
CRI80 20,000 Hrs



VL-4-6011-32W/6000K
LED 32W 6000K
2200LM CRI80
20,000 Hrs



VL-4-6012-32W/6000K
LED 32W 6000K
2200LM CRI80
20,000 Hrs



Dimension.
6011 | 6012
Unit of cm.

Ceiling Lamp.

Material : **Steel | Glass**



VL-4-AW-830



VL-4-AW-842



VL-4-AW-843




VL-4-AW-846



VL-4-AW-847



VL-4-AW-849



Dimension
Unit of cm.



Equipment for fluorescent lamps 32W



Ceiling Lamp.

