

# Surface Mounted Downlight.

Floating downlight lamp

“ SURFACE MOUNTED DOWNLIGHT It is a suitable option if the bridge mounting point is difficult to use with a current mount. There is bitterness used for Loft Style work, focusing on showing off the dark structure of the room. ”

# 03.

# GU5.3 MR16



Dimension : unit of cm.



**VL-3-OB-560**  
Steel  
MR16 x 1



**VL-3-OW-560**  
Steel  
MR16 x 1



**VL-3-TB-564**  
Steel  
MR16 x 1




**VL-3-TW-564**  
Steel  
MR16 x 1



**VL-3-OB-554-MR16**  
Steel | Aluminium  
MR16 x 1




**VL-3-OW-554-MR16**  
Steel | Aluminium  
MR16 x 1




**VL-3-B-570-1**  
Steel | Aluminium  
MR16 x 1



**VL-3-W-570-1**  
Steel | Aluminium  
MR16 x 1



**VL-3-TB-464-2**  
Steel  
MR16 x 2



**VL-3-B-570-2**  
Steel | Aluminium  
MR16 x 2



**VL-3-W-570-2**  
Steel | Aluminium  
MR16 x 2

# Surface Mounted Downlight.

Floating Down Light Lamp

Material : **Steel | Aluminium Reflector**

Dimension : Unit of cm.



**VL-3-TB-551**  
E27 x 1



**VL-3-TW-551**  
E27 x 1



**VL-3-TB-552F**  
E27 x 1



**VL-3-TW-552F**  
E27 x 1



**VL-3-TB-553F**  
E27 x 1



**VL-3-TW-553F**  
E27 x 1



**VL-3-TB-552-2**  
E27 x 2



**VL-3-TW-552-2**  
E27 x 2





Material : **Steel | Glass**  
**Aluminium Reflector**

Dimension : Unit of cm.



VL-3-OB-G-553  
E27 x 1



VL-3-OW-G-553  
E27 x 1

Material : **Steel | Aluminium Reflector**

Dimension : unit of cm.



VL-3-OB-552F  
E27 x 1



VL-3-OW-552F  
E27 x 1



VL-3-OB-553F  
E27 x 1



VL-3-OW-553F  
E27 x 1



# Surface Mounted Downlight.

Material : **Steel | Aluminium Reflector**

Material : **Steel**

Dimension : Unit of cm.



VL-3-TB-557-1  
E27 (PAR30) x 1




VL-3-TW-557-1  
E27 (PAR30) x 1



VL-3-TB-558-1  
AR111 x 1



VL-3-TW-558-1  
AR111 x 1



VL-3-TB-557-2  
E27 (PAR30) x 2



VL-3-TB-558-2  
AR111 x 2



VL-3-TW-557-2  
E27 (PAR30) x 2



VL-3-TW-558-2  
AR111 x 2

# Surface Mounted Downlight.

Material : Aluminium | Acrylic



VL-3-B-717





VL-3-W-717



VL-3-B-718



VL-3-W-718



Dimension : Unit of cm.

LED	18W
CCT :	3000K (Warm White) 6000K (Day Light)
Luminous flux :	1,530 lm
Life Time :	20,000 Hrs
CRI :	>80



**3000K**  
(WARM WHITE)

**6000K**  
(DAY LIGHT)

Surface Mounted Downlight