

Bollard.

“

Landscape lighting is the use of outdoor lighting in gardens and landscapes to increase efficiency, safety and aesthetic purposes. Decorative lights in the garden besides helping to increase life and the uniqueness of the garden and creates a dimension that complements the surrounding buildings.

”



Material : **Die-Cast Aluminium | PC**


IP54

VL-11-20610F/BK/100CM

VL-11-20610F/BK/80CM

VL-11-20610FBK/60CM


E27



Dimension : Unit of cm.




VL-11-7194D/BK-80CM
VL-11-7194D/BK-100CM
E27 x 1



VL-11-20640F
Die-Cast Aluminium | PMMA
E27 x 1



Dimension : Unit of cm.



Dimension : Unit of cm.

Material : **Die-Cast Aluminium**

IP54

LED



VL-11-013104-80/SB
8W 800LM 3000K CR80
20000Hrs

LED



VL-11-3104-80/BK
8W 800LM 3000K CR80
20000Hrs



VL-11-23076A/BK
Die-Cast Aluminium | PC
E27 x 1



VL-11-17214/BK
Aluminium | PC
E27 x 1





IP65

Bollard.



VL-11-SCB-8016-80CM

- Material : Die-Cast Aluminium
- Solar Panel : 6V 2.5W High Efficiency Polycrystalline Silicon
- Battery : 3.7V 4000mAh
- Watt : 2W
- Color Temperature : 3000K
- Luminous Flux : 200lm
- CRI : 80
- Charging Time : 6 Hours
- Working Time : 8 Hours 100%
- IP Rating : 65
- Life Time : 30,000 hrs




Dimension : unit of cm.

VL-11-SCB06A7W-80CM



- Material : Aluminium Alloy | PMMA
- Battery : 4.2V 6000mAh
- Watt : 7W
- Luminous Flux : 700lm
- Color Temperature : 3000K - 4000K - 6000K
- CRI : 80
- Charging Time : 6 Hours
- Working Time : 8 Hours 100%
- IP Rating : 65
- Life Time : 30,000 hrs



With



IP65

VL-11-8163S/BK
E27 x 1



LED

VL-11-SCB8163/BK

Material: Die-Cast Aluminium | Clear PC
 Battery: 3.7V/4000 mAh
 Output Power: 0.6W
 Watt: 2W
 Color Temperature: 3000K
 Luminous Flux: 200lm
 CRI: 80
 Charging Time: 6 Hours
 Working Time: 8 Hours 100%
 IP Rating: 65
 Life Time: 30,000 hrs



Dimension : unit of cm.

Post Light.

Material : Die-Cast Aluminum | Clear PC





Material : Die-Cast Aluminium | PC **IP54**

Post Light.



VL-11-015281D/BK
E27 x 1



VL-11-5274S/BK
E27 x 1



VL-11-5275S/BK
E27 x 1




IP44

VL-11-8154/BK-L
E27 x 1



VL-11-8156/BK
E27 x 1



IP44 Material : **PMMA**



VL-11-1801S-10"-PMMA
E27 x 1

VL-11-1801S-12"-PMMA
E27 x 1



VL-11-1826S-10"
E27 x 1

VL-11-1826S-12"
E27 x 1




VL-11-8053S-10"
E27 x 1

VL-11-8053S-14"
E27 x 1

VL-11-8053S-12"
E27 x 1

VL-11-8053S-16"
E27 x 1



	Unit of cm.	
	W	H
10"	Ø25	40
12"	Ø30	45
14"	Ø30	50
16"	Ø40	55



Material : **Die-Cast Aluminium | Glass**


IP44



VL-11-017-PF/S/BK
E27 x 1



VL-11-017-PF/M/BK
E27 x 1



VL-11-017-PF/L/BK
E27 x 1



53

IP43

VL-11-20623S/BK
E27 x 1

16



47

VL-11-5002S/BK
Die-Cast Aluminium | PC
E27 x 1

16



VL-11-5007S/BK
E27 x 1

VL-11-20980S/BK
E27 x 1



VL-11-5003S1
E27 x 1

VL-11-5003S5-L
E27 x 1



Dimension : unit of cm.



Material : Die-Cast Aluminium | Glass

IP44

Post Light.



VL-11-5009S/BK
E27 x 1



VL-11-5020S/BK
E27 x 1



VL-11-5018S/BK
E27 x 1



VL-11-5018S/BK-M
E27 x 1




VL-11-3073S/BK
E27 x 1



VL-11-5024S/BK
E27 x 1

Pole Light.

Material : **Die-Cast Aluminium | Glass**



IP65

LED

VL-11-GN002C1/20W

20W 2000LM 3000K CRI80
30,000Hrs



IP44

VL-11-21041-3.2M

E27 x 1
Ø60 x L25 x H305 cm.

Dimension : unit of cm.

Pole Light.

*How to read the product code



POLE



Pole Light.

Material : **Die-Cast Aluminium | Glass**

IP44

Socket : **E27**



VL-10-5018W/BK



VL-10-5018W/BK-M

Dimension : unit of cm.



Optional

VL-11-5018LF/BK-M



VL-11-5018CF/BK-M/3A

232



VL-11-5018F2/BK-M

112



VL-11-5018CF/BK-M/2A

232

Pole Light.

Socket : E27

Material : **Die-Cast Aluminium | Glass**

IP44



VL-10-20623W/BK



VL-11-20623CF/BK/3A



VL-11-20623CF/BK/2A

238

238

116

Dimension : unit of cm.



Optional

VL-11-20623LF/BK

VL-11-20623F2/BK

Pole Light.

Socket : E27

Material : Die-Cast Aluminium | PC

IP44



VL-10-5003WC/BK-M



VL-10-5003DT/BK-L

Dimension : unit of cm.



VL-11-5003JF/BK/3A

VL-11-5003JF/BK/2A

282



VL-11-5003IF/BK

173



VL-11-5003CF/BK/2A
5,800 .-

VL-11-5003CF/BK/3A
6,800 .-

236

Optional

VL-11-5003F2/BK

Pole Light.

Socket : E27

Material : **Die-Cast Aluminium | Glass**

IP44



VL-10-5051W/BK



VL-11-5051CF/BK/3A



VL-11-5051CF/BK/2A



VL-11-5051F2/BK

Dimension : unit of cm.



Optional
VL-11-5051LF/BK

Pole Light.

Socket : E27

Material : Die-Cast Aluminium | PC

IP44



VL-10-5020WC/BK



VL-11-5020JF/BK/3A

VL-11-5020JF/BK/2A

301



VL-11-5020LF/BK

192



VL-11-5020CF/BK/2A

VL-11-5020CF/BK/3A

265

Dimension : unit of cm.



55

22

Optional

VL-11-5020F2/BK

Pole Light.

Material : **Die-Cast Aluminium | PC**

Socket : **E27**


IP44



VL-10-5038W/BK

240

Dimension : Unit of cm.



280

VL-11-5038JF/BK/3A

VL-11-5038JF/BK/2A

VL-11-5038CF/BK/2A

VL-11-5038CF/BK/3A

Pole Light.

